

Marlowe

| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength (PSI) | Notes |
|-------------------|--|--------|-----------|------|-----------|------|-------------------------|-------|
| Foundation | | | | | | | | |
| Slab | 10" Detention Vault Slab | 0" | 42.9 CY | | 1,390 SF | | Not Provided | |
| Slab | 8" thk Concrete Slab | 0" | 47.7 CY | | 1,932 SF | | 5000 | |
| Slab | 5" thk Concrete Slab | 0" | 147.7 CY | | 9,569 SF | | 5000 | |
| Slab | 4" Mechanical Vault Slab | 0" | 0.9 CY | | 76 SF | | Not Provided | |
| Slab | 3" Mechanical Vault Slab on Grade | 0" | 0.8 CY | | 88 SF | | Not Provided | |
| Slab | 12" thk Concrete Slab (Elevator Shaft) | 0" | 6.1 CY | | 164 SF | | 5000 | |
| Slab | 5" thk Concrete Slab (Ramp) | 0" | 26.1 CY | | 1,690 SF | | 5000 | |
| Slab | 9"Hx3'8" Concrete Wash | 9" | 18 CY | | 177 LF | | 3000 | |
| Concrete Edge | Concrete Blockout 5" | 0" | 3.6 CY | | 233 SF | | 5000 | |
| Concrete Edge | Concrete Blockout 3" | 0" | 1.7 CY | | 186 SF | | 5000 | |
| Concrete Edge | 3"Hx10" Concrete Edge (Triangle) | 3" | 2.9 CY | | 377 LF | | 5000 | |
| Concrete Edge | 6"Hx6" Concrete Edge (Triangle) | 6" | 1 CY | | 113 LF | | 5000 | |
| Concrete Edge | 8"Hx1'9" Concrete Edge | 8" | 16.4 CY | | 381 LF | | 3000 | |
| Beam | 6"Hx2;6" Concrete Beam | 6" | 0.9 CY | | 20 LF | | 3000 | |
| Beam | 6"Hx1'6" Concrete Grade Beam | 6" | 2.3 CY | | 83 LF | | 3000 | |
| Beam | 3'3"Hx1'9" Concrete Grade Beam | 3' 3" | 21.3 CY | | 118 LF | | 3000 | |
| Beam | 2'Hx1'6" Concrete Grade Beam | 2' 0" | 63.1 CY | | 568 LF | | 3000 | |
| Strap Beam | SB-1 2'x2' Concrete Strap Beam | 2' 0" | 4.1 CY | | 28 LF | | 3000 | |
| Strap Beam | SB-2 2'6"x2'6" Concrete Strap Beam | 2' 6" | 5.2 CY | | 22 LF | | 5000 | |
| Strap Beam | SB-3 3'x3' Concrete Strap Beam | 3' 0" | 13.1 CY | | 39 LF | | 3000 | |
| Pile Cap/Footing | PC-3 3'6"H | 0" | 17 CY | | 131 SF | | 6000 | |
| Pile Cap/Footing | PC-3A 4'H | 0" | 24.1 CY | | 163 SF | | 6000 | |
| Pile Cap/Footing | PC-B 5'H | 0" | 80.7 CY | | 436 SF | | 6000 | |
| Pile Cap/Footing | PC-A 6'H | 0" | 497.3 CY | | 2,238 SF | | 6000 | |
| Pile Cap/Footing | PC-1C 5'8"x4'6"x3'H | 3' 0" | 19.8 CY | | 7 EA | | 6000 | |
| Pile Cap/Footing | PC-2A 5'9"x9'x3'2"H | 3' 2" | 6.1 CY | | 1 EA | | 6000 | |
| Pile Cap/Footing | PC-2 4'6"x9'x3'2"H | 3' 2" | 9.5 CY | | 2 EA | | 6000 | |
| Pile Cap/Footing | PC-1 4'x4'x3'2"H | 3' 2" | 11.3 CY | | 6 EA | | 6000 | |
| Pile Cap/Footing | PC-1A 3'4"x4'6"x3'2"H | 3' 2" | 3.5 CY | | 2 EA | | 6000 | |
| Pile Cap/Footing | PC-5 11'6"x11'6"x4'H | 4' 0" | 117.6 CY | | 6 EA | | 6000 | |
| Pile Cap/Footing | PC-4 9'x9'x4'H | 4' 0" | 72 CY | | 6 EA | | 6000 | |
| Pile Cap/Footing | PC-6 13'6"x9'x5'2"H | 5' 2" | 23.3 CY | | 1 EA | | 6000 | |
| Wall | 1'9"H x 4" thk Mechanical Vault Wall | 1' 9" | 0.5 CY | | 23 LF | | 3000 | |
| Wall | 2'H x 8" thk Concrete Wall | 2' 0" | 0.4 CY | | 9 LF | | 5000 | |
| Wall | 2'2"H x 4" thk Mechanical Vault Wall | 2' 2" | 0.6 CY | | 23 LF | | 5000 | |
| Wall | 2'6"H x 8" thk Detention Vault Wall | 2' 6" | 11.5 CY | | 187 LF | | 5000 | |
| Wall | 2'6"H x 8" thk Concrete Bumped Wall | 2' 6" | 34.7 CY | | 562 LF | | 5000 | |
| Wall | 2'9"H x 8" thk Concrete Bumped Wall | 2' 9" | 5 CY | | 73 LF | | 5000 | |
| Retaining Wall | Retaining Wall 7'2"H x 10" thk (Ramp) | 7' 2" | 17.3 CY | | 78 LF | | 3000 | |
| Retaining Wall | Retaining Wall 9'10"H x 10" thk | 9' 10" | 7.3 CY | | 24 LF | | 3000 | |
| Shear Wall | SW 12'H x 1'4" thk | 12' 0" | 8.6 CY | | 15 LF | | Not Provided | |
| Shear Wall | SW 18'H x 1'4" thk | 18' 0" | 159.1 CY | | 179 LF | | Not Provided | |
| Column | C-7 24"x24"x17'4" | 17' 4" | 10.3 CY | | 4 EA | | 7000 | |
| Column | C-3 24"x24"x17'4" | 17' 4" | 7.7 CY | | 3 EA | | 7000 | |
| Column | C-7 24"x24"x18' | 18' 0" | 2.7 CY | | 1 EA | | 7000 | |
| Column | C-2 24"x24"x18' | 18' 0" | 18.7 CY | | 7 EA | | 7000 | |
| Column | C-3 24"x24"x18' | 18' 0" | 2.7 CY | | 1 EA | | 7000 | |
| Column | C-1 24"x24"x18' | 18' 0" | 18.7 CY | | 7 EA | | 7000 | |
| Column | C-4 24"x24"x18' | 18' 0" | 2.7 CY | | 1 EA | | 7000 | |
| Column | C-10 16"x36"x18' | 18' 0" | 16 CY | | 6 EA | | 7000 | |
| Column | C-11 16"x36"x18' | 18' 0" | 8 CY | | 3 EA | | 7000 | |
| Column | C-12 16"x36"x18' | 18' 0" | 2.7 CY | | 1 EA | | 7000 | |
| Column | C-6 18"x32"x18' | 18' 0" | 5.3 CY | | 2 EA | | 7000 | |
| Column | C-5 14"x30"x18' | 18' 0" | 7.8 CY | | 4 EA | | 7000 | |
| Pile Cap | Pile P1 | 90' 0" | 901.2 CY | | 153 EA | | 6000 | |
| Pile Cap | Pile P2 | 90' 0" | 135.5 CY | | 23 EA | | 6000 | |
| Pile Cap | Pile P3 | 90' 0" | 147.3 CY | | 25 EA | | 6000 | |
| Pile Cap | Pile P4 | 7' 6" | 7.9 CY | | 16 EA | | 6000 | |
| Pile Cap | Pile P5 | 90' 0" | 64.8 CY | | 11 EA | | 6000 | |

| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
|-------------------|-------------------------------------|--------|-----------|------|-----------|------|-------------------|-------|
| Level 2 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 232.8 CY | | 9,427 SF | | 5000 | |
| Slab | 8" thk Concrete Slab (Ramp) | 0" | 74.8 CY | | 3,029 SF | | 5000 | |
| Concrete Edge | 3"Hx3'8" Concrete Wash | 3" | 18 CY | | 532 LF | | 5000 | |
| Concrete Edge | 3"Hx3' Concrete Wash | 3" | 1.4 CY | | 50 LF | | 5000 | |
| Concrete Edge | 7"Hx10" Concrete Edge | 7" | 0.6 CY | | 34 LF | | 5000 | |
| Wall | 2'6"H x 8" thk Concrete Bumped Wall | 2' 6" | 30.3 CY | | 491 LF | | 5000 | |
| Post Tension Beam | PTB-9 (Upturn) 12"x53" | 4' 5" | 4.2 CY | | 26 LF | | 5000 | |
| Post Tension Beam | PTB-10 (Upturn) 12"x53" | 4' 5" | 4 CY | | 25 LF | | 5000 | |
| Post Tension Beam | PTB-8 (Upturn) 12"x53" | 4' 5" | 6.7 CY | | 41 LF | | 5000 | |
| Post Tension Beam | PTB-3 (Upturn) 12"x53" | 4' 5" | 1.8 CY | | 11 LF | | 5000 | |
| Post Tension Beam | PTB-7 (Upturn) 12"x53" | 4' 5" | 1.9 CY | | 11 LF | | 5000 | |
| Post Tension Beam | PTB-4 (Upturn) 12"x53" | 4' 5" | 1.6 CY | | 10 LF | | 5000 | |

| | | | | | | | | |
|-------------------|-------------------------------------|--------|-----------|---------|-----------|--------|-------------------|--------------|
| Post Tension Beam | PTB-1 12"x53" | 4' 5" | | 3.2 CY | | 20 LF | | 5000 |
| Post Tension Beam | PTB-2 12"x53" | 4' 5" | | 3.7 CY | | 23 LF | | 5000 |
| Post Tension Beam | PTB-5 12"x53" | 4' 5" | | 2.9 CY | | 18 LF | | 5000 |
| Post Tension Beam | PTB-6 (Upturn) 12"x53" | 4' 5" | | 4.4 CY | | 27 LF | | 7000 |
| Column | C-10 16"x36"x9'4" | 9' 4" | | 8.3 CY | | 6 EA | | 7000 |
| Column | C-1 24"x24"x9'4" | 9' 4" | | 9.7 CY | | 7 EA | | 7000 |
| Column | C-2 24"x24"x9'4" | 9' 4" | | 6.9 CY | | 5 EA | | 7000 |
| Column | C-3 24"x24"x9'4" | 9' 4" | | 5.5 CY | | 4 EA | | 7000 |
| Column | C-7 24"x24"x9'4" | 9' 4" | | 4.1 CY | | 3 EA | | 7000 |
| Column | C-11 16"x36"x9'4" | 9' 4" | | 4.1 CY | | 3 EA | | 7000 |
| Column | C-4 24"x24"x9'4" | 9' 4" | | 1.4 CY | | 1 EA | | 7000 |
| Column | C-12 16"x36"x9'4" | 9' 4" | | 1.4 CY | | 1 EA | | 7000 |
| Column | C-6 18"x32"x9'4" | 9' 4" | | 1.4 CY | | 1 EA | | 7000 |
| Column | C-5 14"x30"x9'4" | 9' 4" | | 1 CY | | 1 EA | | 7000 |
| Column | C-2 24"x24"x10' (Lower to upper) | 10' 0" | | 3 CY | | 2 EA | | 7000 |
| Column | C-7 24"x24"x10' (Lower to upper) | 10' 0" | | 3 CY | | 2 EA | | 7000 |
| Shear Wall | SW 9'4"H x 1'4" thk | 9' 4" | | 80.1 CY | | 174 LF | | Not Provided |
| Shear Wall | SW 14'4"H x 1'4" thk | 14' 4" | | 10.2 CY | | 14 LF | | Not Provided |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Level 3 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 300.7 | CY | 12,180 | SF | | 5000 |
| Slab | 8" thk Concrete Slab (Ramp) | 0" | 46.4 | CY | 1,878 | SF | | 5000 |
| Concrete Edge | 3"Hx3'8" Concrete Wash | 3" | 18.2 | CY | 536 | LF | | 5000 |
| Concrete Edge | 3"Hx3' Concrete Wash | 3" | 1.4 | CY | 50 | LF | | 5000 |
| Concrete Edge | 7"Hx10" Concrete Edge | 7" | 0.6 | CY | 34 | LF | | 5000 |
| Post Tension Beam | 2'6"H x 8" thk Concrete Bumped Wall | 2' 6" | 30.1 | CY | 487 | LF | | 5000 |
| Post Tension Beam | PTB-3 (Upturn) 12"x53" | 4' 5" | 1.8 | CY | 11 | LF | | 5000 |
| Post Tension Beam | PTB-4 (Upturn) 12"x53" | 4' 5" | 1.6 | CY | 10 | LF | | 5000 |
| Post Tension Beam | PTB-1 12"x53" | 4' 5" | 3.2 | CY | 20 | LF | | 5000 |
| Post Tension Beam | PTB-2 12"x53" | 4' 5" | 3.7 | CY | 23 | LF | | 5000 |
| Post Tension Beam | PTB-5 12"x53" | 4' 5" | 2.9 | CY | 18 | LF | | 5000 |
| Post Tension Beam | PTB-6 (Upturn) 12"x53" | 4' 5" | 4.4 | CY | 27 | LF | | 5000 |
| Column | C-10 16"x36"x9'4" | 9' 4" | 8.3 | CY | 6 | EA | | 7000 |
| Column | C-1 24"x24"x9'4" | 9' 4" | 9.7 | CY | 7 | EA | | 7000 |
| Column | C-2 24"x24"x9'4" | 9' 4" | 6.9 | CY | 5 | EA | | 7000 |
| Column | C-3 24"x24"x9'4" | 9' 4" | 5.5 | CY | 4 | EA | | 7000 |
| Column | C-7 24"x24"x9'4" | 9' 4" | 4.1 | CY | 3 | EA | | 7000 |
| Column | C-11 16"x36"x9'4" | 9' 4" | 4.1 | CY | 3 | EA | | 7000 |
| Column | C-4 24"x24"x9'4" | 9' 4" | 1.4 | CY | 1 | EA | | 7000 |
| Column | C-12 16"x36"x9'4" | 9' 4" | 1.4 | CY | 1 | EA | | 7000 |
| Column | C-6 18"x32"x9'4" | 9' 4" | 1.4 | CY | 1 | EA | | 7000 |
| Column | C-2 24"x24"x10' (Lower to upper) | 10' 0" | 3 | CY | 2 | EA | | 7000 |
| Column | C-7 24"x24"x10' (Lower to upper) | 10' 0" | 3 | CY | 2 | EA | | 7000 |
| Shear Wall | SW 9'4"H x 1'4" thk | 9' 4" | 80.1 | CY | 174 | LF | | Not Provided |
| Shear Wall | SW 14'4"H x 1'4" thk | 14' 4" | 10.2 | CY | 14 | LF | | Not Provided |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Level 4 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 292.4 | CY | 11,842 | SF | | 5000 |
| Slab | 8" thk Concrete Slab (Ramp) | 0" | 45.1 | CY | 1,826 | SF | | 5000 |
| Concrete Edge | 3"Hx3'8" Concrete Wash | 3" | 17.8 | CY | 523 | LF | | 5000 |
| Concrete Edge | 3"Hx3' Concrete Wash | 3" | 1.4 | CY | 50 | LF | | 5000 |
| Wall | 2'6"H x 8" thk Concrete Bumped Wall | 2' 6" | 29.3 | CY | 474 | LF | | 5000 |
| Post Tension Beam | PTB-3 (Upturn) 12"x53" | 4' 5" | 1.8 | CY | 11 | LF | | 5000 |
| Post Tension Beam | PTB-4 (Upturn) 12"x53" | 4' 5" | 1.6 | CY | 10 | LF | | 5000 |
| Post Tension Beam | PTB-1 12"x53" | 4' 5" | 3.2 | CY | 20 | LF | | 5000 |
| Post Tension Beam | PTB-2 12"x53" | 4' 5" | 3.8 | CY | 23 | LF | | 5000 |
| Post Tension Beam | PTB-5 12"x53" | 4' 5" | 2.9 | CY | 18 | LF | | 5000 |
| Post Tension Beam | PTB-6 (Upturn) 12"x53" | 4' 5" | 4.3 | CY | 26 | LF | | 5000 |
| Column | C-10 16"x36"x9'4" | 9' 4" | 8.3 | CY | 6 | EA | | 7000 |
| Column | C-1 24"x24"x9'4" | 9' 4" | 9.7 | CY | 7 | EA | | 7000 |
| Column | C-2 24"x24"x9'4" | 9' 4" | 9.7 | CY | 7 | EA | | 7000 |
| Column | C-3 24"x24"x9'4" | 9' 4" | 5.5 | CY | 4 | EA | | 7000 |
| Column | C-7 24"x24"x9'4" | 9' 4" | 6.9 | CY | 5 | EA | | 7000 |
| Column | C-11 16"x36"x9'4" | 9' 4" | 4.1 | CY | 3 | EA | | 7000 |
| Column | C-4 24"x24"x9'4" | 9' 4" | 1.4 | CY | 1 | EA | | 7000 |
| Column | C-12 16"x36"x9'4" | 9' 4" | 1.4 | CY | 1 | EA | | 7000 |
| Column | C-6 18"x32"x9'4" | 9' 4" | 1.4 | CY | 1 | EA | | 7000 |
| Shear Wall | SW 9'4"H x 1'4" thk | 9' 4" | 86.6 | CY | 188 | LF | | Not Provided |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Level 5 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 292.9 | CY | 11,862 | SF | | 5000 |
| Slab | 8" thk Concrete Slab (Ramp) | 0" | 44.7 | CY | 1,811 | SF | | 5000 |
| Concrete Edge | 3"Hx3'8" Concrete Wash | 3" | 18.9 | CY | 556 | LF | | 5000 |
| Concrete Edge | 3"Hx3' Concrete Wash | 3" | 1.4 | CY | 51 | LF | | 5000 |
| Wall | 2'6"H x 8" thk Concrete Bumped Wall | 2' 6" | 31.6 | CY | 512 | LF | | 5000 |
| Post Tension Beam | PTB-3 (Upturn) 12"x53" | 4' 5" | 1.8 | CY | 11 | LF | | 5000 |
| Post Tension Beam | PTB-4 (Upturn) 12"x53" | 4' 5" | 1.6 | CY | 10 | LF | | 5000 |

| | | | | | | | | |
|-------------------|-------------------------------------|--------|-----------|---------|-----------|------|-------------------|--------------|
| Post Tension Beam | PTB-1 12"x53" | 4' 5" | | 3.2 CY | 20 LF | | 5000 | |
| Post Tension Beam | PTB-2 12"x53" | 4' 5" | | 3.7 CY | 23 LF | | 5000 | |
| Post Tension Beam | PTB-5 12"x53" | 4' 5" | | 2.8 CY | 17 LF | | 5000 | |
| Post Tension Beam | PTB-6 (Upturn) 12"x53" | 4' 5" | | 4.3 CY | 27 LF | | 5000 | |
| Column | C-6 18"x32"x9'4" | 9' 4" | | 1.4 CY | 1 EA | | 5000 | |
| Column | C-7 24"x24"x18' | 18' 0" | | 13.3 CY | 5 EA | | 7000 | |
| Column | C-2 24"x24"x18' | 18' 0" | | 18.7 CY | 7 EA | | 7000 | |
| Column | C-3 24"x24"x18' | 18' 0" | | 10.7 CY | 4 EA | | 7000 | |
| Column | C-1 24"x24"x18' | 18' 0" | | 18.7 CY | 7 EA | | 7000 | |
| Column | C-4 24"x24"x18' | 18' 0" | | 2.7 CY | 1 EA | | 7000 | |
| Column | C-10 16"x36"x18' | 18' 0" | | 16 CY | 6 EA | | 7000 | |
| Column | C-12 16"x36"x18' | 18' 0" | | 2.7 CY | 1 EA | | 7000 | |
| Column | C-11 16"x36"x18' | 18' 0" | | 8 CY | 3 EA | | 7000 | |
| Shear Wall | SW 9'4"H x 1'4" thk | 9' 4" | | 86.8 CY | 188 LF | | Not Provided | |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Level 6 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 290.7 | CY | 11,775 | SF | | 5000 |
| Slab | 8" thk Concrete Slab (Ramp) | 0" | 44.5 | CY | 1,803 | SF | | 5000 |
| Concrete Edge | 3"Hx3'8" Concrete Wash | 3" | 19.1 | CY | 562 | LF | | 5000 |
| Concrete Edge | 3"Hx3' Concrete Wash | 3" | 1.4 | CY | 50 | LF | | 5000 |
| Wall | 2'6"H x 8" thk Concrete Bumped Wall | 2' 6" | 33.3 | CY | 539 | LF | | 5000 |
| Post Tension Beam | PTB-3 (Upturn) 12"x53" | 4' 5" | 1.8 | CY | 11 | LF | | 5000 |
| Post Tension Beam | PTB-4 (Upturn) 12"x53" | 4' 5" | 1.6 | CY | 10 | LF | | 5000 |
| Post Tension Beam | PTB-1 12"x53" | 4' 5" | 3.2 | CY | 20 | LF | | 5000 |
| Post Tension Beam | PTB-2 12"x53" | 4' 5" | 3.8 | CY | 23 | LF | | 5000 |
| Post Tension Beam | PTB-5 12"x53" | 4' 5" | 3 | CY | 18 | LF | | 5000 |
| Post Tension Beam | PTB-6 (Upturn) 12"x53" | 4' 5" | 4.3 | CY | 26 | LF | | 5000 |
| Column | C-10 16"x36"x9'4" | 9' 4" | 8.3 | CY | 6 | EA | | 7000 |
| Column | C-1 24"x24"x9'4" | 9' 4" | 9.7 | CY | 7 | EA | | 7000 |
| Column | C-2 24"x24"x9'4" | 9' 4" | 9.7 | CY | 7 | EA | | 7000 |
| Column | C-3 24"x24"x9'4" | 9' 4" | 5.5 | CY | 4 | EA | | 7000 |
| Column | C-7 24"x24"x9'4" | 9' 4" | 6.9 | CY | 5 | EA | | 7000 |
| Column | C-11 16"x36"x9'4" | 9' 4" | 4.1 | CY | 3 | EA | | 7000 |
| Column | C-4 24"x24"x9'4" | 9' 4" | 1.4 | CY | 1 | EA | | 7000 |
| Column | C-12 16"x36"x9'4" | 9' 4" | 1.4 | CY | 1 | EA | | 7000 |
| Column | C-6 18"x32"x9'4" | 9' 4" | 1.4 | CY | 1 | EA | | 7000 |
| Shear Wall | SW 9'4"H x 1'4" thk | 9' 4" | 86.8 | CY | 188 | LF | | Not Provided |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Level 7 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 301.8 | CY | 12,224 | SF | | 5000 |
| Slab | 8" thk Concrete Slab (Ramp) | 0" | 33.2 | CY | 1,345 | SF | | 5000 |
| Concrete Edge | 3"Hx3'8" Concrete Wash | 3" | 16 | CY | 470 | LF | | 5000 |
| Concrete Edge | 3"Hx3' Concrete Wash | 3" | 0.7 | CY | 24 | LF | | 5000 |
| Wall | 2'6"H x 8" thk Concrete Bumped Wall | 2' 6" | 26.7 | CY | 432 | LF | | 5000 |
| Post Tension Beam | PTB-4 (Upturn) 12"x53" | 4' 5" | 1.6 | CY | 10 | LF | | 5000 |
| Post Tension Beam | PTB-2 12"x53" | 4' 5" | 3.7 | CY | 23 | LF | | 5000 |
| Post Tension Beam | PTB-6 (Upturn) 12"x53" | 4' 5" | 4.4 | CY | 27 | LF | | 5000 |
| Column | C-1 24"x24"x14' | 14' 0" | 14.5 | CY | 7 | EA | | 7000 |
| Column | C-3 24"x24"x14' | 14' 0" | 8.3 | CY | 4 | EA | | 7000 |
| Column | C-2 24"x24"x14' | 14' 0" | 14.5 | CY | 7 | EA | | 7000 |
| Column | C-10 16"x36"x14' | 14' 0" | 12.4 | CY | 6 | EA | | 7000 |
| Column | C-11 16"x36"x14' | 14' 0" | 6.2 | CY | 3 | EA | | 7000 |
| Column | C-4 24"x24"x14' | 14' 0" | 2.1 | CY | 1 | EA | | 7000 |
| Column | C-12 16"x36"x14' | 14' 0" | 2.1 | CY | 1 | EA | | 7000 |
| Column | C-6 18"x32"x14' | 14' 0" | 2.1 | CY | 1 | EA | | 7000 |
| Column | C-7 24"x24"x14' | 14' 0" | 10.4 | CY | 5 | EA | | 7000 |
| Shear Wall | SW 14' H x 16" thk | 14' 0" | 120 | CY | 174 | LF | | Not Provided |
| Shear Wall | SW 15'6" H x 16" thk | 15' 6" | 11 | CY | 14 | LF | | Not Provided |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Level 8 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 220.6 | CY | 8,935 | SF | | 5000 |
| Slab | 6'6" thk Concrete Slab | 0" | 185.7 | CY | 771 | SF | | 5000 |
| Slab | 12" thk Concrete Slab | 0" | 84.4 | CY | 2,278 | SF | | 5000 |
| Concrete Curb | 1'H x 1" thk Concrete Curb | 1' 0" | 5.6 | CY | 151 | LF | | 5000 |
| Drop Cap | 1'4"H x 3' Drop Cap | 1' 4" | 7.6 | CY | 17 | EA | | 5000 |
| Column | C-7 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 6000 |
| Column | C-3 16"x30"x12' | 12' 0" | 4.4 | CY | 3 | EA | | 6000 |
| Column | C-2 16"x30"x12' | 12' 0" | 8.9 | CY | 6 | EA | | 6000 |
| Column | C-11 16"x30"x12' | 12' 0" | 3 | CY | 2 | EA | | 6000 |
| Column | C-6 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 6000 |
| Column | C-9 12"x24"x12' | 12' 0" | 3.6 | CY | 4 | EA | | 6000 |
| Shear Wall | SW 12' H x 14" thk | 12' 0" | 110.7 | CY | 213 | LF | | Not Provided |
| Column | C-2 16"x30"x24' | 24' 0" | 3 | CY | 1 | EA | | 6000 |
| Column | C-3 16"x30"x24' | 24' 0" | 3 | CY | 1 | EA | | 6000 |
| Column | C-4 16"x30"x24' | 24' 0" | 3 | CY | 1 | EA | | 6000 |
| Column | C-12 16"x30"x24' | 24' 0" | 3 | CY | 1 | EA | | 6000 |
| Column | C-11 16"x30"x24' | 24' 0" | 3 | CY | 1 | EA | | 6000 |

| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
|-------------------|-------------------------------------|--------|-----------|------|-----------|------|-------------------|-------|
| Pool | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 4.1 | CY | 165 | SF | | 5000 |
| Slab | 12" thk Concrete Slab | 0" | 66.1 | CY | 1,783 | SF | | 5000 |
| Concrete Curb | 10"H x 8" thk Concrete Curb | 10" | 2.2 | CY | 107 | LF | | 5000 |
| Beam | 1'H x 2'8" thk Concrete Beam @ Pool | 1' 0" | 6.7 | CY | 68 | LF | | 5000 |
| Wall | 3'2"H x 10" thk Concrete Wall | 3' 2" | 1.7 | CY | 17 | LF | | 5000 |
| Column | C-10 16"x36"x3'2" (Pool) | 3' 2" | 0.9 | CY | 2 | EA | | 6000 |
| Column | C-1 24"x24"x3'8" (Pool) | 3' 8" | 1.6 | CY | 3 | EA | | 6000 |
| Post Tension Beam | PTB-14 12"x72" | 6' 0" | 3.6 | CY | 16 | LF | | 5000 |
| Post Tension Beam | PTB-15 12"x72" | 6' 0" | 4.9 | CY | 22 | LF | | 5000 |
| Post Tension Beam | PTB-16 12"x72" | 6' 0" | 5.7 | CY | 26 | LF | | 5000 |
| Post Tension Beam | PTB-17 12"x72" | 6' 0" | 1.9 | CY | 8 | LF | | 5000 |
| Post Tension Beam | PTB-18 12"x72" | 6' 0" | 4.1 | CY | 19 | LF | | 5000 |
| Post Tension Beam | PTB-11 14"x72" | 6' 0" | 3.9 | CY | 15 | LF | | 5000 |
| Post Tension Beam | PTB-12 14"x72" | 6' 0" | 5.8 | CY | 22 | LF | | 5000 |
| Post Tension Beam | PTB-13 14"x72" | 6' 0" | 6.7 | CY | 26 | LF | | 5000 |
| Post Tension Beam | PTB-13 Cant. 14"x72" | 6' 0" | 1.4 | CY | 5 | LF | | 5000 |
| Post Tension Beam | PTB-19 12"x72" | 6' 0" | 3.9 | CY | 18 | LF | | 5000 |
| Wall | 3'10"H x 10" thk Concrete Wall | 3' 10" | 3.6 | CY | 30 | LF | | 5000 |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Level 9 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 225.3 | CY | 9,125 | SF | | 5000 |
| Slab | 6'6" thk Concrete Slab | 0" | 79.9 | CY | 332 | SF | | 5000 |
| Post Tension Beam | PTB-20 14"x32" | 2' 8" | 1.3 | CY | 11 | LF | | 5000 |
| Column | C-7 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 6000 |
| Column | C-3 16"x30"x12' | 12' 0" | 4.4 | CY | 3 | EA | | 6000 |
| Column | C-2 16"x30"x12' | 12' 0" | 8.9 | CY | 6 | EA | | 6000 |
| Column | C-11 16"x30"x12' | 12' 0" | 3 | CY | 2 | EA | | 6000 |
| Column | C-6 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 6000 |
| Shear Wall | SW 12' H x 14" thk | 12' 0" | 111 | CY | 214 | LF | Not Provided | |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Level 10 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 266.3 | CY | 10,786 | SF | | 5000 |
| Slab | 6'6" thk Concrete Slab | 0" | 104.9 | CY | 436 | SF | | 5000 |
| Post Tension Beam | PTB-20 14"x32" | 2' 8" | 1.3 | CY | 11 | LF | | 5000 |
| Column | C-4 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 6000 |
| Column | C-7 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 6000 |
| Column | C-3 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 6000 |
| Column | C-2 16"x30"x12' | 12' 0" | 14.8 | CY | 10 | EA | | 6000 |
| Column | C-6 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 6000 |
| Shear Wall | SW 12' H x 14" thk | 12' 0" | 111.1 | CY | 214 | LF | Not Provided | |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Level 11 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 266.3 | CY | 10,786 | SF | | 5000 |
| Slab | 6'6" thk Concrete Slab | 0" | 104.9 | CY | 436 | SF | | 5000 |
| Post Tension Beam | PTB-20 14"x32" | 2' 8" | 1.3 | CY | 11 | LF | | 5000 |
| Column | C-4 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 6000 |
| Column | C-7 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 6000 |
| Column | C-3 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 6000 |
| Column | C-2 16"x30"x12' | 12' 0" | 14.8 | CY | 10 | EA | | 6000 |
| Column | C-6 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 6000 |
| Shear Wall | SW 12' H x 14" thk | 12' 0" | 111.1 | CY | 214 | LF | Not Provided | |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Level 12 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 266.3 | CY | 10,786 | SF | | 5000 |
| Slab | 6'6" thk Concrete Slab | 0" | 104.9 | CY | 436 | SF | | 5000 |
| Post Tension Beam | PTB-20 14"x32" | 2' 8" | 1.3 | CY | 11 | LF | | 5000 |
| Column | C-4 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 6000 |
| Column | C-7 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 6000 |
| Column | C-3 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 6000 |
| Column | C-2 16"x30"x12' | 12' 0" | 14.8 | CY | 10 | EA | | 6000 |
| Column | C-6 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 6000 |
| Shear Wall | SW 12' H x 14" thk | 12' 0" | 111.1 | CY | 214 | LF | Not Provided | |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Level 13 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 266.3 | CY | 10,786 | SF | | 5000 |
| Slab | 6'6" thk Concrete Slab | 0" | 104.9 | CY | 436 | SF | | 5000 |
| Post Tension Beam | PTB-20 14"x32" | 2' 8" | 1.3 | CY | 11 | LF | | 5000 |
| Column | C-4 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 6000 |
| Column | C-7 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 6000 |
| Column | C-3 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 6000 |
| Column | C-2 16"x30"x12' | 12' 0" | 14.8 | CY | 10 | EA | | 6000 |
| Column | C-6 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 6000 |
| Shear Wall | SW 12' H x 14" thk | 12' 0" | 111.1 | CY | 214 | LF | Not Provided | |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |

| | | | | | | | | |
|-------------------|--------------------------|--------|-----------|------|-----------|------|-------------------|-------|
| Level 14 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 266.3 | CY | 10,786 | SF | | 5000 |
| Slab | 6'6" thk Concrete Slab | 0" | 104.9 | CY | 436 | SF | | 5000 |
| Post Tension Beam | PTB-20 14"x32" | 2' 8" | 1.3 | CY | 11 | LF | | 5000 |
| Column | C-4 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 6000 |
| Column | C-7 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 6000 |
| Column | C-3 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 6000 |
| Column | C-2 16"x30"x12' | 12' 0" | 14.8 | CY | 10 | EA | | 6000 |
| Column | C-6 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 6000 |
| Shear Wall | SW 12' H x 14" thk | 12' 0" | 111.1 | CY | 214 | LF | Not Provided | |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Level 15 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 266.3 | CY | 10,786 | SF | | 5000 |
| Slab | 6'6" thk Concrete Slab | 0" | 104.9 | CY | 436 | SF | | 5000 |
| Post Tension Beam | PTB-20 14"x32" | 2' 8" | 1.3 | CY | 11 | LF | | 5000 |
| Column | C-4 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 5000 |
| Column | C-7 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 5000 |
| Column | C-3 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 5000 |
| Column | C-2 16"x30"x12' | 12' 0" | 14.8 | CY | 10 | EA | | 5000 |
| Column | C-6 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 5000 |
| Shear Wall | SW 12' H x 14" thk | 12' 0" | 111.1 | CY | 214 | LF | Not Provided | |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Level 16 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 266.3 | CY | 10,786 | SF | | 5000 |
| Slab | 6'6" thk Concrete Slab | 0" | 104.9 | CY | 436 | SF | | 5000 |
| Post Tension Beam | PTB-20 14"x32" | 2' 8" | 1.3 | CY | 11 | LF | | 5000 |
| Column | C-4 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 5000 |
| Column | C-7 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 5000 |
| Column | C-3 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 5000 |
| Column | C-2 16"x30"x12' | 12' 0" | 14.8 | CY | 10 | EA | | 5000 |
| Column | C-6 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 5000 |
| Shear Wall | SW 12' H x 14" thk | 12' 0" | 111.1 | CY | 214 | LF | Not Provided | |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Level 17 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 266.3 | CY | 10,786 | SF | | 5000 |
| Slab | 6'6" thk Concrete Slab | 0" | 104.9 | CY | 436 | SF | | 5000 |
| Post Tension Beam | PTB-20 14"x32" | 2' 8" | 1.3 | CY | 11 | LF | | 5000 |
| Column | C-4 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 5000 |
| Column | C-7 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 5000 |
| Column | C-3 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 5000 |
| Column | C-2 16"x30"x12' | 12' 0" | 14.8 | CY | 10 | EA | | 5000 |
| Column | C-6 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 5000 |
| Shear Wall | SW 12' H x 14" thk | 12' 0" | 111.1 | CY | 214 | LF | Not Provided | |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Level 18 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 266.3 | CY | 10,786 | SF | | 5000 |
| Slab | 6'6" thk Concrete Slab | 0" | 104.9 | CY | 436 | SF | | 5000 |
| Post Tension Beam | PTB-20 14"x32" | 2' 8" | 1.3 | CY | 11 | LF | | 5000 |
| Shear Wall | SW 11' 8"H x 14" thk | 11' 8" | 108 | CY | 214 | LF | Not Provided | |
| Column | C-4 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 5000 |
| Column | C-7 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 5000 |
| Column | C-3 16"x30"x12' | 12' 0" | 7.4 | CY | 5 | EA | | 5000 |
| Column | C-2 16"x30"x12' | 12' 0" | 14.8 | CY | 10 | EA | | 5000 |
| Column | C-6 16"x30"x12' | 12' 0" | 1.5 | CY | 1 | EA | | 5000 |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Level 19 | | | | | | | | |
| Slab | 12" thk Concrete Slab | 0" | 357 | CY | 9,640 | SF | | 5000 |
| Slab | 11.25" thk Concrete Slab | 0" | 50.7 | CY | 1,459 | SF | | 5000 |
| Post Tension Beam | PTB-20 14"x32" | 2' 8" | 2 | CY | 17 | LF | | 5000 |
| Column | C-8 14"x30"x13'8" | 13' 8" | 14.8 | CY | 10 | EA | | 5000 |
| Column | C-7 14"x30"x13'8" | 13' 8" | 7.4 | CY | 5 | EA | | 5000 |
| Column | C-3 14"x30"x13'8" | 13' 8" | 7.4 | CY | 5 | EA | | 5000 |
| Column | C-6 14"x30"x13'8" | 13' 8" | 1.5 | CY | 1 | EA | | 5000 |
| Column | C-4 14"x30"x13'8" | 13' 8" | 1.5 | CY | 1 | EA | | 5000 |
| Shear Wall | SW 14' H x 12" thk | 14' 0" | 111 | CY | 214 | LF | Not Provided | |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Level 20 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 232.4 | CY | 9,412 | SF | | 5000 |
| Slab | 6'6" thk Concrete Slab | 0" | 100.5 | CY | 418 | SF | | 5000 |
| Post Tension Beam | PTB-20 14"x32" | 2' 8" | 2 | CY | 17 | LF | | 5000 |
| Column | C-8 14"x30"x14' | 14' 0" | 15.1 | CY | 10 | EA | | 5000 |
| Column | C-3 14"x30"x14' | 14' 0" | 7.6 | CY | 5 | EA | | 5000 |
| Column | C-7 14"x30"x14' | 14' 0" | 7.6 | CY | 5 | EA | | 5000 |
| Column | C-6 14"x30"x14' | 14' 0" | 1.5 | CY | 1 | EA | | 5000 |
| Column | C-4 14"x30"x14' | 14' 0" | 1.5 | CY | 1 | EA | | 5000 |
| Shear Wall | SW 14' H x 12" thk | 14' 0" | 100.6 | CY | 194 | LF | Not Provided | |

| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
|-----------------|--------------------------|--------|-----------|------|-----------|------|-------------------|-------|
| Level 21 | | | | | | | | |
| Slab | 8" thk Concrete Slab | 0" | 237.3 | CY | 9,612 | SF | 5000 | |
| Shear Wall | SW 5' H x 12" thk | 5' 0" | 5.1 | CY | 27 | LF | Not Provided | |
| Shear Wall | SW 10' H x 12" thk | 10' 0" | 47 | CY | 127 | LF | Not Provided | |
| Shear Wall | SW 12'6" H x 12" thk | 12' 6" | 5 | CY | 11 | LF | Not Provided | |
| Location | Name | Height | Quantity1 | UOM1 | Quantity2 | UOM2 | Concrete Strength | Notes |
| Roof | | | | | | | | |
| Slab | 3 1/2" thk Concrete Slab | 0" | 6.8 | CY | 627 | SF | 5000 | |

| Concrete Strenght (PSI) | Quantity | Units |
|-------------------------|----------|-------|
| 3000 | 164.3 | CY |
| 5000 | 8178 | CY |
| 6000 | 2373.4 | CY |
| 7000 | 466.5 | CY |
| Not Provided | 2271.3 | CY |